

Saving time, energy and water with Zip

Listing products under contract to NSW Dept of Services, Technology & Administration
now available at contract prices to public sector buyers Australia-wide





**Welcome to the 2011-2014 catalogue
of Zip products available at contract prices
to public sector buyers nationally.**

Cutting power consumption to reduce costs and comply with environmental guidelines is now an important goal for most public sector enterprises.

In these pages you will find a host of ideas for doing just that by substituting new highly energy-efficient systems for less efficient systems installed in the past.

Since Zip invented the compact instant boiling water heater in the early 1980s, our Australian-designed and Australian-made instant boiling and chilled filtered water systems have become widely adopted by public sector enterprises throughout Australia and in more than sixty other countries around the world.

Why? Because all Zip systems are designed to save time, energy and money – and are backed by comprehensive warranties and a national service network.

To purchase any of the products listed, simply contact Zip by email or 'phone as shown on the back cover.

Yours sincerely

Michael Crouch AO
Executive Chairman
Zip Industries (Aust) Pty Ltd

Michael Crouch



Contents

Boiling and chilled filtered water systems	4-13
Chilled filtered water systems	16-17
Hot water systems	18
Automatic hand dryers	19
Contact information	20



Zip instant boiling water systems are now exported from Australia to more than sixty countries world-wide.



Over 30,000 Zip instant boiling water systems have been installed in Sydney CBD alone.

Upgrade any kitchen with Zip HydroTap standard commercial models

It's the world's newest kitchen sensation.
Saves time, power and water every day.

Choose output type:

- Boiling and chilled filtered water.
- Boiling and cold (ambient) filtered water.
- Boiling filtered water only.
- Chilled filtered water only.

Choose capacity:

- 60 boiling cups per hour, for small offices.
- 100 boiling cups per hour, for medium offices.
- 150, 160 or 240 boiling cups per hour, for large offices.
- 85 chilled glasses per hour, for small offices.
- 125 chilled glasses per hour, for medium offices.
- 175 chilled glasses per hour, for large offices.

Choose location:

- Install on a sink, or away from any sink, with the optional "font" drained to waste (the under-sink unit must be installed directly beneath the tap).



Now Zip HydroTap models feature Free-Flow™ chilled water dispensing.

To cater for busy kitchens and tea rooms, all Zip HydroTap models now feature "free-flow" ensuring cold filtered water continues to flow even during periods of high usage when the 'chilled glasses per hour' capacity is exceeded.



Zip®

Instant Boiling Water

Standard Models

Zip HydroTap – Standard models – boiling and chilled filtered water, instantly.

Order Code	Model Number	Boiling Water	Chilled Water	Hot Water	Cold Water	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Under-Sink W x D x H (mm)
73166	BC60/85FX*	Yes	Yes	No	No	60	85	1.7 kW	430 x 430 x 340
73164	BC100/125FX*	Yes	Yes	No	No	100	125	1.7 kW	430 x 430 x 340
73165	BC150/175FX	Yes	Yes	No	No	150	175	2.1 kW	500 x 465 x 395
39102	BC160/125+FX	Yes	Yes	No	No	160	125	2.3 kW	430 x 430 x 340
39110	BC240/175+FX	Yes	Yes	No	No	240	175	3.4 kW	500 x 465 x 395

* No Free-Flow on this model

Zip HydroTap – Standard models – boiling and ambient (cold) filtered water, instantly.

Order Code	Model Number	Boiling Water	Chilled Water	Hot Water	Cold Water	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Under-Sink W x D x H (mm)
37602	BF100FX	Yes	No	No	Yes	100	0	1.5 kW	280 x 340 x 395
38010	BF150FX	Yes	No	No	Yes	150	0	1.8 kW	310 x 340 x 395

Zip HydroTap – Standard models – boiling filtered water, instantly.

Order Code	Model Number	Boiling Water	Chilled Water	Hot Water	Cold Water	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Under-Sink W x D x H (mm)
2000AU0H2N1C	B60FX	Yes	No	No	No	60	0	1.5 kW	280 x 325 x 340
73170	B100FX	Yes	No	No	No	100	0	1.5 kW	280 x 325 x 340
39132	B160FX	Yes	No	No	No	160	0	2.0 kW	280 x 325 x 340
39134	B240FX	Yes	No	No	No	240	0	3.0 kW	310 x 340 x 395

Zip HydroTap – Standard models – chilled filtered water, only.

Order Code	Model Number	Boiling Water	Chilled Water	Hot Water	Cold Water	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Under-Sink W x D x H (mm)
37613	C125FX	No	Yes	No	No	0	125	1.5 kW	310 x 460 x 340

Accessories

- Font kit assembly including 100 mm shaft extension – order code 90046
- Shaft extension 100 mm – 90026
- Tap hole sink punch 35 mm – 90041
- Auxiliary vent fan with DIN plug – 90651
- Disabled handle kit – boiling/ambient – 90674
- Disabled handle kit – boiling/chilled – 90675
- Disabled handle kit – boiling/boiling – 90769

Boiling and chilled filtered water plus hot and cold water, from a single tap



Boiling or chilled filtered water, instantly.

Chilled filtered water instantly.

Mixer gives hot or cold water.



Boiling or chilled filtered water, instantly.



Swivel spout covers two sinks.

Zip HydroTap – All-In-One models – boiling and chilled filtered water instantly, plus hot and cold water – **single tap.**

Non-vented system for connection to cold water supply and to mains pressure hot water service.

Mixer tap WELS rating: 4 star, 6.5 litres per minute.

Order Code	Model Number	Boiling Water	Chilled Water	Hot Water	Cold Water	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Under-Sink W x D x H (mm)
39121	A160/125+FX	Yes	Yes	Yes	Yes	160	125	2.3 kW	430 x 430 x 340
39122	A240/175+FX	Yes	Yes	Yes	Yes	240	175	3.4 kW	500 x 465 x 395
39135	A60/85+FX	Yes	Yes	Yes	Yes	60	85	1.8 kW	440 x 430 x 340

Zip HydroTap – All-In-One models – boiling and chilled filtered water instantly, plus hot and cold water – **single tap.**

Vented system for connection to cold water supply only – mixes boiling and cold water to give hot water.

Mixer tap WELS rating: 6 star, 3 litres per minute.

Order Code	Model Number	Boiling Water	Chilled Water	Hot Water	Cold Water	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Under-Sink W x D x H (mm)
39123	AV160/125+FX	Yes	Yes	Yes	Yes	160	125	2.3 kW	430 x 430 x 340
39124	AV240/175+FX	Yes	Yes	Yes	Yes	240	175	3.4 kW	500 x 465 x 395

Boiling and chilled filtered water plus hot and cold water, from two taps



Zip HydroTap – Four-In-One models – boiling and chilled filtered water instantly, plus hot and cold water – two taps.

Mixer tap WELS rating: 6 star, 3 litres per minute.

Order Code	Model Number	Boiling Water	Chilled Water	Hot Water	Cold Water	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Under-Sink W x D x H (mm)
430272	BCH100/125+FX	Yes	Yes	Yes	Yes	100	125	1.7 kW	430 x 430 x 340
430282	BCH150/175+FX	Yes	Yes	Yes	Yes	150	175	2.1 kW	500 x 465 x 395
439102	BCH160/125+FX	Yes	Yes	Yes	Yes	160	125	2.3 kW	430 x 430 x 340
430292	BCH240/175+FX	Yes	Yes	Yes	Yes	240	175	3.4 kW	500 x 465 x 395

Zip HydroTap – Three-In-One models – boiling filtered water instantly, plus hot and cold water – two taps.

Mixer tap WELS rating: 6 star, 3 litres per minute.

Order Code	Model Number	Boiling Water	Chilled Water	Hot Water	Cold Water	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Under-Sink W x D x H (mm)
437202	BH100FX	Yes	No	Yes	Yes	100	0	1.5 kW	280 x 325 x 340
438202	BH150FX	Yes	No	Yes	Yes	150	0	1.8 kW	310 x 340 x 395
439202	BH240FX*	Yes	No	Yes	Yes	240	0	2.4 kW	310 x 340 x 395

* 15 amp required

Zip HydroTap industrial models for industrial and correctional facilities

New heavy duty top-touch designs.

- Robust design with touch buttons instead of levers.
- Safety lock can be activated to require two finger operation to access boiling water.
- Both models deliver boiling and chilled filtered water.
- Up to 160 or 240 boiling cups per hour.
- Up to 125 or 175 chilled glasses per hour.
- Both models feature “free-flow” ensuring cold filtered water continues to flow even during periods of high usage when the ‘chilled glasses per hour’ capacity is exceeded.



Zip HydroTap – Industrial Top-Touch models – boiling and chilled filtered water instantly, robust for industries.

Order Code	Model Number	Boiling Water	Chilled Water	Hot Water	Cold Water	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Under-Sink W x D x H (mm)
39126	IT240/175+FX	Yes	Yes	No	No	240	175	3.4 kW	500 x 465 x 395
39125	IT160/125+FX	Yes	Yes	No	No	160	125	2.3 kW	430 x 430 x 340



Side-touch models developed to meet the exacting specifications of correctional facilities.

- New super-strong tapered shank anchoring.
- New damage-resistant side touch buttons.
- Simple two button model without safety switch.
- Optional three button model with safety lock.
- Can be installed with buttons to left or right.
- Both models deliver boiling and chilled filtered water.
- Up to 160 or 240 boiling cups per hour.
- Up to 125 or 175 chilled glasses per hour.
- Both models feature “free-flow” ensuring cold filtered water continues to flow even during periods of high usage when the ‘chilled glasses per hour’ capacity is exceeded.



Zip HydroTap – Industrial Side-Touch models – boiling and chilled filtered water instantly, robust for institutions.

Order Code	Model Number	Boiling Water	Chilled Water	Hot Water	Cold Water	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Under-Sink W x D x H (mm)
39128	IS240/175+FX	Yes	Yes	No	No	240	175+	3.4 kW	500 x 465 x 395
39127	IS160/125+FX	Yes	Yes	No	No	160	125+	2.3 kW	430 x 430 x 340

High strength 25 mm tapered base fastens to an under-sink clamp block and supports a high strength steel spine reinforcing the whole of the tank shaft.



Zip Hydroboil updates your instant boiling water systems to help meet your energy conservation goals

Save time

No more time wasted waiting for water to boil. Zip Hydroboil gives boiling water instantly, at the touch of a tap.

Save energy

No energy wasted boiling more water than needed. Fingertip control brings a cup full or a pot full at a time.

Save space

No cluttered kitchen counters. Zip instant boiling water eliminates the need for kettles and exposed power cords.

Save money

Costs little to run, thanks to energy-efficient design and electronic controls minimizing energy consumption.



Zip Hydroboil – boiling filtered water instantly – **electronic temperature control** for unrivalled energy efficiency. Order codes shown apply to **white** welded steel case. Also made to order with **stainless steel** case – Call Zip for details.

Order Code	Model Number	Capacity (Litres)	Cups at One Time	Recovery Cups/Hr	Total Rating	Dimensions W x D x H (mm)
203064	HBE6-003FX	3.0	18	100	1.5 kW	290 x 110 x 335
205064	HBE6-005FX	5.0	30	140	2.4 kW	290 x 180 x 430
207064	HBE6-007FX	7.5	45	140	2.4 kW	320 x 200 x 465

Choosing the right Zip Hydroboil

1. Estimate the number of cups of boiling water required at any one time.
2. Check capacities under the heading of “cups at one time” in the table below.
3. Choose a Zip Hydroboil model giving the number of cups required.
4. Check case dimensions to ensure top and side clearances can be allowed for.



Zip Hydroboil – boiling filtered water instantly – **large** capacity, **thermostat controlled** models for canteens and restaurants.

Specifications and energy saving features differ from **electronically controlled** smaller models.

Order codes shown apply to **white** welded steel case. Also made to order with **stainless steel** case – Call Zip for details.

Order Code	Model Number	Capacity (Litres)	Cups at One Time	Recovery Cups/Hr	Total Rating	Dimensions W x D x H (mm)
11064	HB015FX	15.0	90	150	2.4 kW	390 x 300 x 600
12064	HB025FX	25.0	150	180	3.6 kW	390 x 300 x 780
04064	HB040FX	40.0	240	360	6.0 kW	515 x 285 x 840

Accessories

- Tun Dish wall mounted – order code 99017
- Tun Dish sink mounted – order code 99018
- Drip Tray portable – order code 99043
- Drip Tray plumbed to waste – order code 99056
- Cup Rack Kit stainless steel – order code 99002
- Remote Tap Kit 5/8 to 1/2 inch BSP – order code 99003
- Tap Assembly threaded snout – order code 99007



Zip Autoboil offers you thermostatically controlled instant boiling water at a thrifty price

Zip Autoboil – boiling filtered water instantly – **thermostatic temperature control** for canteens & restaurants. Order codes shown apply to **white** welded steel case. Also made to order with **stainless steel** case. Call Zip for details.

Order Code	Model Number	Capacity (Litres)	Cups at One Time	Recovery Cups/Hr	Total Rating	Dimensions W x D x H (mm)
01054	AB001FX	1.5	9	100	1.5 kW	290 x 180 x 335
03054	AB003FX	3.0	18	100	1.5 kW	290 x 180 x 430
05054	AB005FX	5.0	30	150	2.4 kW	290 x 180 x 430
07054	AB007FX	7.5	45	150	2.4 kW	320 x 200 x 580

Zip Autoboil – boiling filtered water instantly – **large capacity** models for **canteens and restaurants**. Order codes shown apply to white welded steel case. Also made to order with **stainless steel** case. Call Zip for details.

Order Code	Model Number	Capacity (Litres)	Cups at One Time	Recovery Cups/Hr	Total Rating	Dimensions W x D x H (mm)
11054	AB015FX	15.0	90	150	2.4 kW	390 x 300 x 600
12054	AB025FX	25.0	150	180	3.6 kW	390 x 300 x 780
04054	AB040FX	40.0	240	360	6.0 kW	515 x 285 x 840


Accessories

1. Tun Dish wall mounted – order code 99017
2. Tun Dish sink mounted – order code 99018
3. Drip Tray portable – order code 99043
4. Drip Tray plumbed to waste – order code 99056



Zip Autoboil is ideal for busy canteens, kitchens and restaurants.

See how you save energy and money with a Zip Hydroboil electronically controlled instant boiling water system



NOTES

- Typical results from laboratory testing of 5.0 litre instant boiling water systems are shown above.
- Tests were conducted on M1000 AMPY metering equipment 2706306, 2706307 and 2306308.
- Table above shows estimated weekly power consumption without provision for water draw-off.
- Each 167 mL cup drawn off equals approximately an added 17 Watt-hours of power usage.
- Estimated power usage is based on continuous operation except where noted as below.
- Sleep mode results = 7 day test, sleep mode effective 7 pm to 7 am Mon-Fri, all day Sat-Sun.
- On/off 24/7 timer results = 7 day test, set to power OFF 5 pm to 7 am Mon-Fri, all day Sat-Sun.

Zip Chilltap, Zip Chilltap Extra and Zip Filter Tap, filtered water for any kitchen



Zip Chilltap– just chilled filtered drinking water

Order Code	Model Number	External Filter	Recovery Glasses/hr	Total Rating	Dimensions W x D x H (mm)
76005	UCCT12FXV	Sub-micron	60	0.275 kW	355 x 255 x 380
76006	UCCT28FXV	Sub-micron	140	0.45 kW	355 x 290 x 385

Zip Chilltap Extra – chilled filtered water instantly – plus unlimited filtered ambient (cold) water. Lab style quarter-turn chrome plated tap. Font kit allows for installation away from sink.

Order Code	Model Number	External Filter	Recovery Glasses/hr	Total Rating	Dimensions W x D x H (mm)
60019	UCCT12FX C/A	Sub-micron	60	0.245 kW	355 x 255 x 380
63009	UCCT28FX C/A	Sub-micron	140	0.45 kW	355 x 290 x 385

Zip Filter Tap – simply a healthy supply of filtered ambient (cold) drinking water

Order Code	Model Number	External Filter
52007	Zip Filter Tap Commercial 5 micron double action	5 micron

Replacement Filters

Zip Five Star Sub-micron triple action 200 mm Filter – order code 28005

Zip Five Star Five Micron triple action 150 mm Filter – order code 28002

Accessory

Auxiliary fan kit with DIN plug (for cupboard ventilation) – order code 90651



Instant Boiling Water

Zip Chillmaster and Zip Economaster free-standing chilled water systems



Zip Chillmaster has stainless steel case.



Zip Economaster is available in white or stainless steel case.

Zip Chillmaster – chilled filtered water instantly – **free standing** drinking water station with **stainless steel** case. Features choice of sub-micron or 5 micron filtration. Includes filter change reminder light.

Order Code	Model Number	External Filter	Drinking Bubbler	Carafe Filler	Recovery Glasses/hr	Compressor (hp)	Dimensions W x D x H (mm)
76013	CMBCF140SFV	Sub-micron	Yes	Yes	140	0.25	350 x 350 x 905
61038	CMBCF140SFV	5 micron	Yes	Yes	140	0.25	289 x 180 x 431

Zip Chillmaster – chilled filtered water instantly – **wall mounted** drinking water station with **stainless steel** case.

Order Code	Model Number	External Filter	Drinking Bubbler	Carafe Filler	Recovery Glasses/hr	Compressor (hp)	Dimensions W x D x H (mm)
61018	CMWBCF140SFV	5 micron	Yes	Yes	140	0.25	350 x 350 x 530*
61017	CMWCF140FV	5 micron	No	Yes	140	0.25	350 x 350 x 530*

Zip Economaster – chilled water instantly – **budget priced** drinking water for factories, work sites and site sheds. Order codes shown apply to **white** steel case. Also made to order with **stainless steel** case – call for details.

Order Code	Model Number	External Filter	Drinking Bubbler	Carafe Filler	Recovery Glasses/Hr	Compressor (hp)	Dimensions W x D x H (mm)
76067	EMBCF60FV	5 micron	Yes	Yes	60	0.08	350 x 350 x 905
76068	EMBCF140FV	5 micron	Yes	Yes	140	0.25	350 x 350 x 905
60053	EMBCF60	Unfiltered	Yes	Yes	60	0.08	350 x 350 x 905
62053	EMBCF140	Unfiltered	Yes	Yes	140	0.25	350 x 350 x 905
60051	EMB60	Unfiltered	Yes	No	60	0.08	350 x 350 x 905
62051	EMB140	Unfiltered	Yes	No	140	0.25	350 x 350 x 905

Catering for crowds and shifts, so much easier with Zip Duo

Zip Duo offers you:

- High capacity boiling and chilled water service
- Perfect for high traffic areas, canteens, factories
- Energy saving 24/7 programmable clock
- Energy saving sleep mode if unused 2 or 4 hours
- Fingertip control for safe filling of cups or glasses
- Hands-free operation for filling large containers
- Thermal cut-out protection with auto reset
- Inbuilt safety controls to prevent boiling dry
- Can be wall mounted or on stand as shown



Zip Duo – large capacity **boiling and chilled** filtered water, instantly – great for high traffic areas, canteens and factories.

Order codes shown apply to white welded steel case

Order Code	Model Number	Boiling (Litres)	Chilled (Litres)	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Dimensions W x D x H (mm)
310110 (a)	White 5.0 / 3.2 L - 2.0 KW	5.0	3.2	120	90	2.0 kW	650 x 275 x 430
320110 (b)	White 16.5 / 3.2 L - 3.5 KW	16.5	3.2	206	90	3.5 kW	700 x 350 x 580
330110 (b)	White 16.5 / 3.2 L - 2.3 KW	16.5	3.2	160	90	2.3 kW	700 x 350 x 580

Also available made to order with stainless steel case

Order Code	Model Number	Boiling (Litres)	Chilled (Litres)	Boiling Cups/hr	Chilled Glasses/hr	Total Rating	Dimensions W x D x H (mm)
310111 (a)	S/Steel 5.0 / 3.2 L - 2.0 KW	5.0	3.2	120	90	2.0 kW	650 x 275 x 430
320111 (b)	S/Steel 16.5 / 3.2 L - 3.5 KW	16.5	3.2	206	90	3.5 kW	700 x 350 x 580
330111 (b)	S/Steel 16.5 / 3.2 L - 2.3 KW	16.5	3.2	160	90	2.3 kW	700 x 350 x 580

Accessories

- Stand with stainless drip tray for model 310110 – order code 90777
- Stand with stainless drip tray for models 320110 and 330110 – order code 90778
- Five micron triple action replacement filter – order code 91241

Zip Tudor, the hot water system for small or remote kitchens or office tea rooms

- Open outlet, non-pressurised hot water systems
- Choice of over-sink or under-bench models
- Choice of five litre or ten litre nominal capacity
- For connection directly to cold water supply
- Designed to supply hot water to a single sink or tub
- No regulatory need for under-bench safe tray
- Variable temperature control 35°C to 80°C.
- Frost protection settings for frost-prone areas

Tapware

Hero Vented Mixer Tap single – order code 99051

Solo Vented Mixer Tap single – order code 99075

Monobloc Tall Spout Mixer Tap single – order code 99076

Solo Vented Mixer Tap single disabled – order code 99132

Hero Vented Mixer Tap single disabled – order code 99133


Over-sink telescopic spout kit – order code 99032



Zip Tudor – hot water for dishwashing or cooking, instantly

Must be installed with Zip Tudor tapware -- WELS rating: 6 star, 3 litres per minute

Order Code	Model Number	Hot Water	Capacity (Litres)	Total Rating	Under-Sink W x D x H (mm)
21052	Tudor 5 Litre - Undersink	Yes	5.0	2.0 kW	255 x 215 x 390
21102	Tudor 10 Litre - Undersink	Yes	10.0	2.0 kW	310 x 265 x 455
21051	Tudor 5 Litre - Oversink	Yes	5.0	2.0 kW	255 x 215 x 390
21101	Tudor 10 Litre - Oversink	Yes	10.0	2.0 kW	310 x 265 x 455



Zip automatic hand dryers for hygienic touch-free washrooms



Zip Superdry

- Robust die-cast aluminium alloy case
- Vandal resistant white finish
- Bi-directional flap directs air flow up or down
- Cuts out if overheated or in use > 60 seconds
- Automatically re-sets if cut-out is activated
- Concealed wiring or plug into 10 amp GPO.



Flap directs air upward for face drying.

Award-winning Zip Superdry Standard 20000.

Order Code	Model Number	Dryer Case	Total Rating	Dimensions W x D x H (mm)
20000	Zip SD100 Superdry Hand & Face Dryer	White Diecast Alloy	2.2 kW	290 x 255 x 185
20010	Zip HD101 Magic Eye Hand Dryer	White Polycarbonate	2.2 kW	330 x 335 x 190



Zip Magic Eye "hands in" hand dryer

Zip Magic Eye

- Features warm air recycling system to speed warm-up and improve thermal efficiency.
- Aerodynamic design reduces drying time and power consumption.
- Thermal overload protection incorporated in the heating circuiting.
- Over-run protection to switch power "off" after 60 seconds of continuous running.
- Outer case of white high impact polycarbonate.

Zip makes it easy for you to buy, install and maintain any Zip systems you need

Easy to buy

Simply call Zip and ask for a quotation on the items you need. If you would also like advice on which model to buy, or technical information of any kind, we're happy to provide that too.

Easy to install

Your own maintenance contractor can install the Zip systems listed in this brochure, or Zip can arrange to have the systems installed for you. We provide on-site training for contractors, service all of the major cities with a team of factory trained technicians, and have more than 300 Service Providers offering installation and maintenance services Australia-wide.

Easy to maintain

Every Zip product is designed to give many years of trouble free service, and is also covered by a comprehensive warranty. Like all products connected to power and water, regular maintenance service is a wise

precaution against the inconvenience of breakdown.

Zip offers you the choice of a variety of maintenance service plans tailored to your particular requirements – from a simple filter replacement plan, to regular on-site servicing to keep every Zip system in first class working order and cap your maintenance costs.

Call Zip before you buy to choose the plan that suits you best.

Easy to finance

Zip rental plans help you conserve your capital and make it easy for you to keep your facilities up to date. We can offer you an all-inclusive rental plan for your new equipment alone, or for both the equipment and associated service and maintenance, all for a fixed regular payment – with various options at end of your contract.

Ask for a Zip rental specialist to call and discuss the details.





Instant Boiling Water

www.zipindustries.com

Zip Heaters (Aust) Pty Ltd
ABN 46 000 578 727
A member of the Zip Industries Group
67 Allingham Street Condell Park NSW 2200
Postal: Locked Bag 80 Bankstown 1885
Facsimile 02 9796 3858
Telephone 02 9796 3100

Also in the United Kingdom and New Zealand
Distributors in Germany, South Africa, Hong Kong, Singapore,
Thailand, Taiwan, Philippines, Cyprus, Middle East, China.

How to register for Zip products at contract prices

The appliances listed in this catalogue are available to defined **public sector enterprises** throughout Australia under Contract 278 – Electrical & Gas Presentation Equipment – Zip Heaters – with NSW Government Procurement. **Most public sector enterprises - Community, Local Government, State or Commonwealth are entitled to purchase under that Contract.**

For information on registering to purchase at contract prices, contact **NSW Procurement Client Support Centre**

Free Call 1800 679 289
Email nswbuy@services.nsw.gov.au

How to contact Zip for a quotation or installation

For a quotation for purchase, or purchase and installation, or rental, contact the Zip **quotation team** directly. To ensure that you are quoted contract prices, please advise your NSW Government Contract number.

Free Call 1800 424 344
Email quotes@zipindustries.com

To accept a quotation and arrange for delivery or installation, contact the Zip **sales support** team directly.

Free call 1800 638 633
Email sales@zipindustries.com

How to get in touch with Zip for a service contract

To obtain a quotation for periodic maintenance service and/or filter replacement service, contact **our contracts team**.

Free call 1800 460 222
Fax 1800 027 970
Email contracts@zipindustries.com

How to get in touch with Zip to obtain emergency service

Contact the Zip service team when you need to arrange emergency or routine service on site. Our own in-house call centre is normally staffed 7.30am to 6.00pm on working days, Australian eastern standard time.

Free call 1800 460 222
Fax 1800 027 970
Email service@zipindustries.com



Conditions of warranty are shown in the printed instructions supplied with each Zip product, and on www.zipindustries.com. Please note that filter life may vary according to water quality and usage, thus filter replacement is not covered by warranty.

Notice. Products shown in this brochure are protected by international patents including patent 2005230702 and patent 2005222440.

Copyright 2012 Zip Industries (Aust) Pty Ltd. Zip reserves the right to change product specifications without notice.

Whilst every endeavour is made to ensure accuracy, no responsibility is taken for any errors or omissions in data. The terms 'Zip', 'HydroTap', 'Hydroboil', 'Autoboil', 'Chillmaster', 'Economaster', 'Chilltap', 'Tudor', 'Superdry', and 'Magic Eye' are trade marks. Brochure 09012012, January 2012.